



ccac.ca

The 3Rs of Russell and Burch:

Replacement, Reduction & Refinement

Adrian Smith

adrian.smith@norecopa.no

[@adrian_3r](#)


These slides are available at norecopa.no/3Rs

With some material from:

Smith AJ & Richmond J (Forthcoming). The Three-Rs.
In: *The UFAW Handbook on the Care and Management
of Laboratory and Other Research Animals*. 9th edition.
Richardson CA and Golledge HDR (eds).
Oxford: Wiley-Blackwell.

version 18.11.22 09.00 CET

Norecopa: *PREPARE for better Science*



How it all started

The UK organisation *Universities Federation for Animal Welfare* (UFAW) appointed William (Bill) Russell in July 1954 to

‘undertake research into the history and progress of the introduction of humane methods into biological research with a view to encouraging further such progress.’



W.M.S. Russell (1925 - 2006)

[en.wikipedia.org/wiki/W. M. S. Russell](https://en.wikipedia.org/wiki/W._M._S._Russell)




How it all started

UFAW appointed microbiologist Rex Burch to assist Russell by visiting and interviewing research workers on:

- *their attitudes*
- *the techniques that they had adopted to improve the humaneness of their work*
- *the feasibility of replacements to the use of animals*

Their primary task was to find ways of reducing inhumanity in animal experiments - whether it is physical or mental distress




R.L. Burch (1926 - 1996)
from Stephens (2009)

“Alternatives”?

The word “alternatives” was deliberately not used in the invitations to interviews, to avoid the risk of researchers declining to participate.

Instead, they wrote:
‘a review of progress in the development of humane techniques’.



colourbox.com




“Alternatives”?

The word was used by Burch, but Russell considered it sounded like *Replacement*. It is not used in their book.

The term was used in a paper by Terence Hegarty (FRAME trustee) in 1971 and (for all the 3Rs) by DH Smyth in his book *Alternatives to animal experiments* (1978).

Some now talk about

- *Replacement alternatives*
- *Reduction alternatives*
- *Refinement alternatives*




colourbox.com



Timeline for the 3Rs

- By 1955, the concept of the 3Rs was essentially present in a paper published by Russell
- The explicit term "The 3Rs" evolved sometime between 1955 and 1957 (Russell, 2005)
- The 3Rs were formally presented at a UFAW Symposium in May 1957 on *Humane Technique in the Laboratory*
- Russell and Burch published ***The Principles of Humane Experimental Technique*** in 1959



Russell WMS & Burch RL (1959)





CCAC.ca



Russell and Burch's original definition of the 3RS:

- **Replacement:** *any scientific method employing non-sentient material which may in the history of animal experimentation replace methods which use conscious living vertebrates*
- **Reduction:** *means of minimising, other than by Replacement, the number of animals used to obtain information of a given amount and precision*
- **Refinement:** *measures leading to a decrease in the incidence or severity of inhumane procedures applied to those animals which have to be used.*

Some contemporary descriptions emphasise **welfare benefit** and **knowledge gain** as well as minimising inhumanity

	Basic	Updated
Replacement	Avoiding or replacing the use of animals in areas where they otherwise would have been used.	Accelerating the development and use of predictive and robust models and tools, based on the latest science and technologies, to address important scientific questions without the use of animals.
Reduction	Minimising the number of animals used consistent with scientific aims.	Appropriately designed and analysed animal experiments that are robust and reproducible, and truly add to the knowledge base.
Refinement	Minimising the pain, suffering, distress or lasting harm that research animals might experience.	Advancing research animal welfare by exploiting the latest <i>in vivo</i> technologies and by improving understanding of the impact of welfare on scientific outcomes.


nc3rs.org.uk/who-we-are/3rs



Replacement

Methods that replace or avoid the use of *sentient* animals entirely

Full/absolute replacement



virtual-physiology.com

A simulation of an experiment on a frog nerve-muscle preparation

Norecopa: *PREPARE* for better Science

Partial/relative replacement



agnthos.se/569-stereotaxic-frames

Experiments under full anaesthesia from which the animal does not wake up (non-recovery / terminal studies)

Replacement

Examples of replacement methods:

Relative

- animals not currently considered to be sentient*
e.g. fruit flies, roundworms and very early developmental stages of sentient species
- procedures performed on animals that are fully anaesthetised before the procedure is started, and which are killed by an anaesthetic overdose before they awake (= non-recovery, terminal, acute experiment)
- cells and tissues from animals
- surplus research animals, clinical veterinary cases or slaughterhouse material
- observation of animals in brief captivity or their natural setting

**not all animals currently believed to be sentient are covered by all legislation e.g. cephalopods and decapods*

Absolute

- Computer simulations
- Films, video, virtual reality
- Models, mannikins, simulators
- QSAR (*Quantitative Analysis of Structure/Activity Relationships*)
- Human cell and tissue cultures
- Organs-on-a-chip and organoids of human origin
- High Throughput Screening (HTS)
- Biochemical & immunological methods (RIA, ELISA)
- Hybrid DNA technique
- Collection of environmental DNA from animals (e.g. hair, faeces, urine)
- Genetically modified microorganisms
- Plants
- Human volunteers
- Synthesis of Evidence from previously published studies, following a Systematic Review of the literature
- Replacement of a practical class with a theoretical session

N.B. Many non-animal methods are not actually being used to replace animal experiments (e.g. use of the human placenta)

Norecopa: *PREPARE* for better Science

Replacement: win-win

Replacement alternatives are not just substitutes for animal models:

they are often

better science

more powerful

more versatile

faster


cheaper

easier to standardise and replicate

e.g. high-throughput screening of potential novel pharmaceuticals

Norecopa: *PREPARE for better Science*

High Throughput Screening (HTS) laboratory



The High Throughput Screening (HTS) laboratory is set up to produce large amounts of data on large chemical libraries with high precision and speed.

joint-research-centre.ec.europa.eu/laboratories-and-facilities/eurl-ecvams-vitro-laboratory-facility_en#high-throughput-screening-hts-laboratory

Reduction

- Methods that minimise the number of animals, without compromising
 - experimental design
 - statistical analysis
 - validity
 - animal welfare

It's all about **Optimisation** of animal numbers:

- fewer animals (if possible)
- more information from the same number of animals
- *more* animals (if the original suggestion was too low to achieve conclusive results)

Too few animals can lead to false conclusions and is a waste of animal lives and human resources.

Reduction and Refinement are therefore inseparable



Refinement

Methods that

- minimise pain, suffering, distress and lasting harm
- maximise animal welfare

All the way from procurement of the animals to humane killing or other outcomes (e.g. re-use, rehoming)

 An enormous scope for refinement

e.g. better housing, environmental enrichment, handling, dosing, sampling, anaesthesia and analgesia

Refinement: win-win

- Improved animal welfare
- More valid data from animals in harmony with their surroundings
- Easier to detect treatment effects in non-stressed animals
- Less variation between animals
- Possible to use smaller group sizes



colourbox.com

Refinement and Reduction go hand-in-hand

Implementation of Refinement requires knowledge of

- how to observe discomfort (e.g. use of grimace scales and other behavioural indicators of pain)
- how to establish humane endpoints

‘Happy animals make good science’
(Poole, 1997)

Replacement → Reduction → Refinement

*'Suppose, for a particular purpose, we cannot use **replacing** techniques. Suppose it is agreed that we shall be using every device of theory and practice to **reduce** to a minimum the number of animals we have to employ. It is at this point that **refinement** starts, and its object is simply to reduce to an absolute minimum the amount of distress imposed on those animals that are still used.'*

Russell & Burch (1959), Chapter 7

Direct / contingent inhumanity

Russell and Burch distinguished between

- direct inhumanity: the pain or distress of a procedure (even when performed perfectly)
e.g. pain of injection, immobilisation stress
- contingent inhumanity: the side-effects of a procedure that are not necessary for its success
e.g. poor housing, care, handling, analgesia



colourbox.com

*Pain and suffering is experienced
at the level of the individual*

Is it Replacement or Refinement?

Those working under the EU Directive 2010/63/EU should study the definitions of Replacement, Reduction and Refinement on the EU Commission website

Home > Chemicals > Animals used for scientific purposes



Animals used for scientific purposes

Replacement, Reduction and Refinement – the "Three Rs"

What are the "Three Rs"?

The publication of *"The Principles of Humane Experimental Technique"* by W.M.S. Russell and R.L. Burch in 1959 marks the birth of the principle of the "Three Rs".

The authors proposed the principles of **Replacement, Reduction and Refinement** (the "Three Rs") as the key strategies of a systematic framework aimed at achieving the goal of humane experimental techniques. Russell and Burch saw *replacement* as the ultimate goal for laboratory animal based research, education and testing, with the other two, *reduction* and *refinement*, being more readily achievable in the short term.

Replacement

Replacement can be defined as methods, strategies or approaches which do not involve the use of live animals.

Replacement may be achieved through a number of tools or their combinations including

- *in vitro* systems using tissues, whole cells or parts of cells
- systems based on biochemical approaches, i.e. using synthetic (macro)molecules as proxies of (reactive) toxicity targets. Such methods are referred to as "*in chemico*"
- computer-based models and approaches – often termed *in silico*
- use of 'omics' technologies (e.g. transcriptomics, proteomics and metabolomics)
- non-testing approaches such as 'read-across' technique



ec.europa.eu/environment/chemicals/lab_animals/3r/alternative_en.htm

Discrimination and fidelity

Russell & Burch warned against the '**high-fidelity fallacy**':

the false assumption that high-fidelity dictates which model is best.

High-fidelity '*ignores all the advantages of **correlation***', whereby '*the responses of two utterly different systems may be correlated with perfect regularity*'

Russell & Burch (1959)

Replacement alternatives do not have to look like an animal!

e.g. cell and tissue cultures, bacterial and chemical assay systems

Discrimination and fidelity


In educational and training aids:



Rikke Langebæk

High discrimination

Norecopa: *PREPARE* for better Science



syndaver.com

High fidelity

norecopa.no/media/8099/langebæk.pdf

Interest in the 3RS

- *A largely unknown concept for the first 20 years*
- *1969: The UK organisation FRAME (Fund for Replacement of Medical Experiments) was established, and also worked (independently of UFAW/Russell & Burch) on alternatives*
- *1991: The HSUS (Humane Society of the United States) instigated a Russell and Burch Award*
- *1995: ECVAM, CAAT and FRAME organised a workshop which Russell and Burch both attended*
- *2000: The European Science Foundation 'strongly endorses the principles of the Three Rs'*



FRAME

*Rex Burch & William Russell in
Sheringham, UK, in 1995*

Interest in the 3RS

UFAW continued to update its *Handbook on the Care and Management of Laboratory and Other Research animals* (first published in 1947, 9th edition in 2023)

1986: The European Directive 86/609/EEC did not explicitly mention the 3Rs but it required member states to implement national legislation which effectively implemented them

1991: ECVAM (European Centre for the Validation of Alternative Methods) was established


1993: A series of *World Congresses on Alternatives and Animal Use in the Life Sciences* was started in Baltimore

2010: EU legislation mentioned the 3Rs specifically for the first time in Directive 2010/63/EU. ECVAM became EURL-ECVAM (European Union Reference Laboratory for Alternatives to Animal Testing)

Norecopa: *PREPARE* for better Science



joint-research-centre.ec.europa.eu/eu-reference-laboratory-alternatives-animal-testing-eurl-ecvam/eurl-ecvam-faqs/frequently-asked-questions-general_en



Reprinted by UFAW in 1992



norecopa.no/textbase/the-principles-of-humane-experimental-technique

The text of the book is available online



caat.jhsph.edu/principles/the-principles-of-humane-experimental-technique

Norecopa: *PREPARE* for better Science

Why are the 3Rs important?

- in many countries they are now part of the legislation to protect animals and improve science quality
- they encourage discussion while a study which appears to need animals is being planned
- they are a tool to achieve ethically defensible animal studies
- they advance the implementation of replacement techniques
- they increase public understanding of the need for animal research and testing



norecopa.no/norina/blood-collection-in-mice-using-the-saphenous-vein-an-alternative-to-retro-orbital-collection


NMBU

Other issues to be aware of

- Re-use of animals in new experiments may be allowed, but their welfare depends upon both their experiences and memories from the first study, and the likely suffering in the second. Cumulative suffering may become excessive:

e.g. Mild+Mild+Mild can be Moderate or Severe

- Guidelines for severity classification of procedures vary, and individuals may differ in their opinions.



norecopa.no/severity

Norecopa: *PREPARE for better Science*



focusonseveresuffering.co.uk

Summary

Animal experiments must only be performed when

- ✓ the scientific objectives are timely, of sufficient importance, attainable, and maximise scientific and societal benefits;
- ✓ there are no non-sentient replacement alternatives;
- ✓ all relevant and practical Reduction and Refinement strategies have been implemented;
- ✓ the design and conduct of the study minimise the animal welfare cost in terms of the total pain, suffering and distress that may be produced, rather than simply minimising the number of animals used.



How to promote the 3Rs:

Replacement

- Highlight alternative methods, even if they are within *in vivo* studies (e.g. antibody production)

Reduction

- Share data, protocols and (if practical and ethically acceptable) animals/tissue
- Publish negative or inconclusive findings

Refinement

- Publish better techniques, preferably as separate methodology papers for high visibility

Memorable quotes

'best welfare is indeed best science'

'aim at well-being rather than at mere absence of distress'

'The greatest scientific experiments have always been the most humane and most aesthetically attractive, conveying that sense of beauty and elegance which is the essence of science at its most successful'

Russell & Burch, 1959

Norecopa: PREPARE for better Science



FRAME

The concept actually predates Russell & Burch



Marshal Hall: Seven principles of physiology (1831 & 1847)

1. *We should never have recourse to experiment in cases which observation can afford us the information required.*
2. *No experiment should be performed without a distinct and definite object, and without the persuasion, after the maturest consideration, that that object will be attained by that experiment, in the form of a real and uncomplicated result.*
3. *We should not needlessly repeat experiments which have already been performed by physiologists of reputation.*
4. *After due consideration that a given experiment is, at once, essential and adequate to the discovery of a truth, it should be instituted with the least possible infliction of suffering.*
5. *Every physiological experiment should be performed under such circumstances as will secure due observation and attestation of its results, and so obviate, as much as possible, the necessity for its repetition.*
6. *Facts should be laid before the public in the simplest, plainest terms. If there be a difference of opinion: '...add such views as may seem nearest the truth. These are neither wholly in accord with one opinion nor another, nor exceedingly at variance with both, ... a thing which may be observed in most controversies, when men seek impartially for truth'. (Celsus, translated from Latin)*
7. *In quoting the opinions of other authors, it should always be in their own words.*



[en.wikipedia.org/wiki/Marshall_Hall_\(physiologist\)](https://en.wikipedia.org/wiki/Marshall_Hall_(physiologist))



The concept actually predates Russell & Burch

Editorial in the London Medical Gazette (1839):

Live animals should not be used

'... till it is sufficiently clear that the fact pursued neither is, nor can be, proved by any other evidence which is within reach, nor by any other more gentle mode of enquiry.'

212
EXPERIMENTS ON LIVING ANIMALS.

were interrupted and hurried by circumstances over which he had no control.

Copper.....	17.64
Tin	2.35
Silver	1.23
Zinc	3.50
Water and Oil	0.82
Loss	1.72
	27.28

It will be observed that, besides the different proportions of the other metals, zinc forms a component part of this bronze; but how far its presence could render the action of the bronze more violent, I confess myself wholly ignorant. Indeed the action of zinc, as a medicine, appears to be very little understood, and it has not been in my power to obtain any renseignements as to whether the zinc miners or smelters are affected by the nature of their occupation or not, or if they are, in what manner.

Nothing is more probable than that the bronze varies much in different samples, and that each manufacturer has his own process and proportions for mixing the metal used for the purpose; and it is also not unlikely that the violence of the effects of the cheaper sort may have been rather exaggerated by my informant.

With regard to the treatment of those suffering from the use of the bronze, I have said but little; for few cases have come under my immediate care, though many under my notice, and quite enough in number to establish the fact of its pernicious influence on the workmen employing it, and to prove that from its use—

"Morbus et nova febrium Terra incubat cohors."

Such, probably, will always prove the case to a certain extent: as our arts improve, new inconveniences must arise, and new diseases result; and in the course of time, from the march of science and perfection of processes, new remedies will be discovered, and the evil effects in their turn be removed.

The use of the respirator would probably be of great service to the bronze workers, by preventing the inhalation and swallowing of the finely subdivided metallic dust. This would, to a great extent, obviate those symptoms which I have ventured to call constitutional, and referred to the poison being taken di-

rectly into the lungs and stomach. A careful observance of cleanliness would also prevent the workmen from suffering so severely from the most distressing local symptoms caused by the direct application of the powder.

Let me, however, repeat my hope, that this very brief and incomplete notice of the effects of this powder, may arouse the attention of those of my medical brethren who, from their larger opportunities of observing disease in our great hospitals and manufacturing towns, will be able to favour the profession with the results of their experience as to the cause and treatment of this new complaint. If it should have the effect of calling their attention, and that of our manufacturing chemists, to this disease—its origin, its nature, the mode of obviating and the mode of curing it—it will be a source of the greatest satisfaction to me; and in this hope, allow me to sign myself, sir,

Your obedient servant,
GURNEY TURNER.
General Dispensary,
Aldersgate Street, April 25, 1839.

MEDICAL GAZETTE.
Saturday, May 4, 1839.

"Licet omnibus, licet etiam mihi, digestatene Artis Medicæ tæri: potestas modo venturi in publicum sit, dicendi periculum non recuso."
CICERO.

EXPERIMENTS ON LIVING ANIMALS.

In our last article on this subject, we endeavoured (and we hope successfully) to shew, that if the result of such experiments be only the acquisition of truth, they are at least as justifiable as the commonly sanctioned and encouraged pursuits of hunting, fishing, shooting, &c. (when not followed for the sake of subsistence), or as the studies of those branches of natural history in which pain and death are inflicted upon living and sensitive creatures. In all these, and in a thousand other cases of the same kind, pain is inflicted upon animals solely for the gratification of mankind; and the concurrent opi-

babel.hathitrust.org/cgi/pt?id=mdp.39015031214433&view=1up&seq=268



Other events since 2000

- A European umbrella organisation for National Consensus Platforms on Alternatives, **ecopa**
- Many national and regional centres for one or more of the 3Rs
- A European network of 3R centres: **EU3Rnet**
- An EU website with resources about the use of animals for scientific purposes





ecopa.eu

ecopa recognises 1 National Consensus Platform per country that has representatives of all 4 stakeholders in its governing body:




Norecopa: *PREPARE* for better Science



norecopa.no/global3r

norecopa.no/3r-guide/ecopa

*There are now over 30
3R centres in Europe alone...*



norecopa.no/global3r

Additional Rs have been proposed...

... but many of these concepts are actually explicitly or implicitly discussed by Russell & Burch:

- Reproducibility and Replicability of animal experiments
- Responsibility when planning and conducting procedures on sentient animals
 - toward the animals
 - towards our colleagues (Culture of Care*)

**The International Culture of Care Network*: norecopa.no/coc


- A 6R concept: 3Rs + Robustness, Registration & Reporting ([Strech & Dirnagl, 2019](#))

Responsible animal research: a riff of Rs. Rowan A & Goldberg A (1995), *Altern Lab Anim.* 23(3):306-11. doi.org/10.1177/026119299502300307

... and Ss and Vs

- The 3Vs: construct validity, internal validity and external validity (Hanno Würbel)
Aimed at improving the scientific validity of animal models
norecopa.no/3V
- The 3Ss: Good Science, Good Sense, Good Sensibilities (Carol Newton)
Ensuring that common sense and critical anthropomorphism are applied to science
norecopa.no/3S

See also Petkov *et al.* (2022) who propose an animal research ‘Helsinki Declaration’
sciencedirect.com/science/article/pii/S2665945X2200033X



The NC3Rs has produced an 18-minute video about the 3Rs



vimeo.com/289645718

References

1. Hubrecht RC & Carter E (2019): The 3Rs and Humane Experimental Technique: Implementing Change. *Animals* 30;9(10):754. doi: 10.3390/ani9100754.
2. Neuhaus W *et al.* (2022): The Rise of Three Rs Centres and Platforms in Europe. *ATLA - Alternatives to Laboratory Animals*. 50(2):90-120. doi:10.1177/02611929221099165.
3. Poole T (1997): Happy animals make good science. *Laboratory Animals*. 1997;31(2):116-124.
4. Russell WMS & Burch RL (1959): *The Principles of Humane Experimental Technique*. London: Methuen & Co. Ltd.
5. Russell WMS (2005): The Three Rs: past, present and future. *Animal Welfare* 14: 279-286
6. Smith AJ & Richmond J (Forthcoming): The Three-Rs. In: *The UFAW Handbook on the Care and Management of Laboratory and Other Research Animals*. 9th edition. Richardson CA and Golledge HDR (eds). Oxford: Wiley-Blackwell.
7. Smyth DH (1978): *Alternatives to animal experiments*. 218 pp. London: Scolar Press for the Research Defence Society.
8. Stephens M (2009): Personal reflections on Russell and Burch, FRAME, and the HSUS. *ATLA - Alternatives to laboratory animals* 37 Suppl 2. 29-33.
9. Tannenbaum J & Bennett, BT (2015): Russell and Burch's 3Rs then and now: The need for clarity in definition and purpose. *Journal of the American Association for Laboratory Animal Science*, **54**, 120–132.


Further reading

1. Balls M (2010) The principles of humane experimental technique: timeless insights and unheeded warnings. *ALTEX - Alternatives to animal experimentation*, **27**, pp. 144–148.
2. Karp NA & Fry D (2021): What is the optimum design for my animal experiment? *BMJ Open Sci.* 15;5(1):e100126. doi: 10.1136/bmjos-2020-100126.
3. Sánchez Morgado JM & Brønstad A (Eds.) (2020): *Experimental Design and Reproducibility in Preclinical Animal Studies*. 277pp. Springer.
4. Mogil JS, Pang DSJ, Silva Dutra GG & Chambers CT (2020): The development and use of facial grimace scales for pain measurement in animals. *Neurosci. Biobehav. Rev.* 116:480-493. doi: 10.1016/j.neubiorev.2020.07.013.
5. Smith AJ, Clutton RE, Lilley E, Hansen KEA & Brattelid T (2018): PREPARE: guidelines for planning animal research and testing. *Lab Anim.* 52(2):135-141. doi: 10.1177/0023677217724823.
6. Smith D, Anderson D, Degryse AD, Bol C, Criado A, Ferrara A, Franco NH, Gyertyan I, Orellana JM, Ostergaard G, Varga O & Voipio HM (2018): Classification and reporting of severity experienced by animals used in scientific procedures: FELASA/ECLAM/ESLAV Working Group report. *Lab Anim.* 52(1_suppl):5-57. doi: 10.1177/0023677217744587.

About Norecopa

Norecopa is Norway's National Consensus Platform for Replacement, Reduction and Refinement of animal experiments.

Norecopa is an independent member organisation with representatives of 4 major stakeholders in its governing body:



Norecopa maintains a free website with global 3R resources: norecopa.no

[illegible]

Type	Recommendation
1. Objectives and outcomes, funding and duration of study	(a) <i>Dialogue between the community and the animal facility</i> - Arrange meetings with all relevant staff where plans for the project will - Consider all disagreements between the project, including the need for resources with preparation of animal care, procedures and animal biosecurity - Ensure all details of expected and potential costs - Consider a <i>written plan of division of labour and expenses</i> at all stages of the study
6. Facility installation	- Consider a <i>preparation schedule</i> of the facilities, to ensure building and equipment standards and needs - Ensure <i>staffing levels</i> appropriate to the study - Ensure <i>staffing levels</i> comprise of staff members who will be further education or training prior to the study
10. Health risks (animal welfare and environmental)	- Perform a <i>risk assessment</i>, in collaboration with the animal facility, for all groups and animals affected directly or indirectly by the study - Identify, and if necessary provide, specific precautions for all stages of the project - Ensure measures for containment, decontamination, and disposal of all waste in the study
13. Test substances and procedures	(c) <i>Quality control of the components in the study</i> - Provide as much information as possible about all substances - Consider the <i>handling and safety</i> of test procedures and the <i>skills</i> needed to perform them
15. Experimental animals	- Decide upon the <i>number of animals</i> that are essential for the study and for reporting - Assess <i>genetic background</i> of animals
16. Quarantine and health monitoring	- Decide the <i>animal</i> 'health status', any measures for transport, quarantine and isolation - Ensure <i>health monitoring</i> and compliance for the project
18. Housing and husbandry	- Adhere to the <i>animal</i> 'specific' needs and needs, in <i>collaboration</i> with expert staff - Ensure <i>environmental</i>, critical <i>housing</i> conditions and procedures, <i>environmental</i> factors and any <i>experimental</i> factors in the study's 'test' application, <i>sanitation</i>, <i>housing</i>
22. Experimental procedures	- Develop <i>relevant</i> procedures to capture, maintain, handle, and measure <i>animals</i> - Develop <i>relevant</i> procedures for <i>substance administration</i>, sampling, isolation and assessment, surgery and other techniques
24. Human safety, ethics or welfare	- Consider <i>relevant</i> exposure and guidelines and use of <i>animal</i> of the study - Follow <i>procedures</i> and <i>ethical</i> standards for <i>biosecurity</i> - Ensure the <i>compliance</i> of those <i>staff</i> who have a <i>specific</i> <i>staff</i> <i>staff</i>
25. Biosafety	Consider a <i>systematic plan</i> for all stages of <i>recognition</i>, including <i>location</i>, and <i>identification</i> of all <i>animals</i> and <i>equipment</i>

3-Ethical issues, harm-benefit assessment and humane endpoints

3a

Construct a life summary

3b

In dialogue with ethics committees, consider whether statements about the types of research have already been produced

3c

Address the 3Rs (Replacement, Reduction, Refinement) and the 7Rs (Five Freedoms, Good Farms, Good Facilities, Good Genetics, Good Husbandry, Good Health, Good Housing)

3d

Consider pre-registration and the publication of negative results

3e

Perform a harm-benefit assessment and justify any invasive animal harm

3f

Discuss the learning objectives, if the animal use is for educational or training purposes

3g

Allocate a severity classification to the project

3h

Define objectives, easily measurable and unambiguous humane endpoints

3i

Discuss the justification, if any, for death as an endpoint

4-Experimental design and statistical analysis

- Harm-Benefit Assessment

norecopa.no/PREPARE

Norecopa: *PREPARE* for better Science

PREPARE



The PREPARE Guidelines Checklist

Planning Research and Experimental Procedures on Animals: Recommendations for Excellence

Adrian J. Smith¹, R. Eddie Clutton², Elliot Lilley³, Kristine E. Aa. Hansen⁴ & Trond Brattelid⁵

¹Norecopa, c/o Norwegian Veterinary Institute, P.O. Box 750 Sentrum, 0106 Oslo, Norway; ²Royal (Dick) School of Veterinary Studies, Roslin, Midlothian, EH25 9RG, U.K.; ³Research Animals Department, Science Group, RSPCA, Wilberforce Way, Southwark, London, SE16 7NL, U.K.; ⁴Section of Experimental Biomedicine, Department of Production Animal Clinical Sciences, Norwegian School of Veterinary Medicine, P.O. Box 8146 Dep., 0033 Oslo, Norway; ⁵Division for Animal Welfare, Norwegian School of Veterinary Medicine, P.O. Box 8146 Dep., 0033 Oslo, Norway.

PREPARE
PREPARE

The PREPARE guidelines are a dynamic set which will evolve as more species- and situation-specific guidelines are produced, and as best practice within Laboratory Animal Science progresses.

Topic	Recommendation
(A) Formulation of the study	
1. Literature searches	☐ Form a clear hypothesis, with primary and secondary outcomes. ☐ Consider the use of systematic reviews. ☐ Decide upon databases and information specialists to be consulted and construct search terms. ☐ Assess the relevance of the species to be used, its biology and suitability to answer the experimental questions with the least suffering and to welfare needs. ☐ Assess the reproducibility and translatability of the project.
2. Legal issues	☐ Consider how the research is affected by relevant legislation for animal research and other areas, e.g. animal transport, occupational health and safety. ☐ Locate relevant guidance documents (e.g. EU guidance on project evaluation).
3. Ethical issues, harm-benefit assessment and humane endpoints	☐ Construct a lay summary. ☐ In dialogue with ethics committees, consider whether statements about this type of research have already been produced. ☐ Address the 3Rs (replacement, reduction, refinement) and the 3Ss (good science, good sense, good sensibilities). ☐ Consider pre-registration and the publication of negative results. ☐ Perform a harm-benefit assessment and justify any likely animal harm. ☐ Discuss the learning objectives, if the animal use is for educational or training purposes. ☐ Avoid a severity classification in the project. ☐ Define objective, easily measurable and unequivocal humane endpoints. ☐ Discuss the justification, if any, for death as an end-point.
4. Experimental design and statistical analysis	☐ Consider pilot studies, statistical power and significance levels. ☐ Define the experimental unit and decide upon animal numbers. ☐ Choose methods of randomisation, prevent observer bias, and decide upon inclusion and exclusion criteria.

Animal welfare and the 3Rs

Topic	Recommendation
(B) Dialogue between scientists and the animal facility	
5. Objectives and timescale, funding and division of labour	☐ Arrange meetings with all relevant staff when early plans for the project exist. ☐ Construct an approximate timescale for the project, indicating the need for assistance with preparation, animal care, procedures and waste disposal/decontamination. ☐ Discuss and disclose all expected and potential costs. ☐ Construct a detailed plan for division of labour and expenses at all stages of the study. ☐ Conduct a physical inspection of the facilities, to evaluate building and equipment standards and needs. ☐ Discuss staffing levels at times of extra risk.
7. Education and training	☐ Assess the current competence of staff members and the need for further education or training prior to the study.
8. Health risks, waste disposal and decontamination	☐ Perform a risk assessment, in collaboration with the animal facility, for all persons and animals affected directly or indirectly by the study. ☐ Assess, and if necessary produce, specific guidance for all stages of the project. ☐ Discuss means for containment, decontamination, and disposal of all items in the study.
(C) Quality control of the components in the study	
9. Test substances and procedures	☐ Provide as much information as possible about test substances. ☐ Consider the feasibility and validity of test procedures and the skills needed to perform them.
10. Experimental animals	☐ Decide upon the characteristics of the animals that are essential for the study and for reporting. ☐ Avoid generation of surplus animals.
11. Quarantine and health monitoring	☐ Discuss the animals' likely health status, any needs for transport, quarantine and isolation, health monitoring and consequences for the personnel.
12. Housing and husbandry	☐ Attend to the animals' specific instincts and needs, in collaboration with expert staff. ☐ Discuss acclimatization, optimal housing conditions and procedures, environmental factors and any experimental limitations on these (e.g. food deprivation, solitary housing).
13. Experimental procedures	☐ Develop refined procedures for capture, immobilisation, marking, and release or rehoming. ☐ Develop refined procedures for substance administration, sampling, sedation and anaesthesia, surgery and other techniques.
14. Humane killing, release, reuse or rehoming	☐ Consult relevant legislation and guidelines well in advance of the study. ☐ Define primary and emergency methods for humane killing. ☐ Assess the competence of those who may have to perform these tasks.
15. Necropsy	☐ Construct a systematic plan for all stages of necropsy, including location, and identification of all animals and samples.

References

- Smith AJ, Clutton RE, Lilley E, Hansen KEA & Brattelid T. PREPARE Guidelines for Planning Animal Research and Testing. *Laboratory Animals*. 2017; DOI: 10.1177/0023677217724823.
- Kilkenny C, Browne WJ, Cuthill IC et al. Improving Bioscience Research Reporting: The ARRIVE Guidelines for Reporting Animal Research. *PLoS Biology*. 2010; DOI: 10.1371/journal.pbio.1000412.

Further information
<https://norecopa.no/PREPARE> | post@norecopa.no | [@norecopa](https://twitter.com/norecopa)

norecopa.no/PREPARE

3-Ethical issues, harm-benefit assessment and humane endpoints	
3a	Construct a lay summary.
3b	In dialogue with ethics committees, consider whether statements about this type of research have already been produced.
3c	Address the 3Rs (Replacement, Reduction, Refinement) and the 3Ss (Good Science, Good Sense, Good Sensibilities).
Assessment and justify any likely animal harm.	
3f	Discuss the learning objectives, if the animal use is for educational or training purposes.
3g	Allocate a severity classification to the project.
3h	Define objective, easily measurable and unequivocal humane endpoints.
3i	Discuss the justification, if any, for death as an end-point.
4-Experimental design and statistical analysis	

- Have the experiments been carried out before, and is any repetition justifiable?
- What [approaches to reduce distress](#) have been considered?

3a Construct a lay summary.

General principles

For fish researchers

- Have national or local research ethics committees already produced statements relevant to the research being planned? Consideration should also be paid to the broader context of the research. For example, research directed at increasing the productivity of farming at the expense of (or without improving) individual animal welfare, or wildlife research whose primary aim is population management.
- Will any advances in this research only index the title and abstract, or will the full paper be rejected?
- Have the Three S's ([Good Science, Good Sense and Good Sensibilities](#)) been addressed? Sufficient time should be allocated to this point, since two of the three S's are highly subjective, but equally important. The use of commonsense and critical anthropomorphism are justifiably part of the work to assess the impact of research on animals, not least when a scientific evidence base does not exist.
- Does the proposed study have a clear rationale and scientific relevance, and what will be the next step if the hypothesis is supported or rejected?
- Have the experiments been carried out before and is any repetition justifiable?
- What [approaches to reduce distress](#) have been considered?
- Will the project undergo [pre-registration](#) and will negative results be published, to avoid publication bias?

Many more [links to resources on ethics are available here](#).

Details about pre-registration of animal studies and reporting of critical incidents are to be found in the section on [Experimental Design and Statistical Analysis](#).

Harm-Benefit Assessment

Links to quality guidelines and scientific papers worldwide on e.g. blood sampling, injection volumes, housing and husbandry, analgesia, humane endpoints, experimental design

The pathway to better science...



An overview of 3R centres and associations

Search the Centres

Map

Satellite



norecopa.no/global3r

Keyboard shortcuts Map data ©2022 Terms of Use


Centres

- ☒ [Replacement](#) ⓘ
- ☒ [Reduction](#) ⓘ
- ☒ [Refinement](#) ⓘ
- ☒ [ecopa](#) ⓘ

Associations

- ☒ [ACURET](#) ⓘ
- ☒ [AFLAS \(includes South Korea\)](#) ⓘ
- ☒ [Culture of Care Network](#) ⓘ
- ☒ [ecopa](#) ⓘ
- ☒ [EU-NETVAL](#) ⓘ
- ☒ [EU3Rnet](#) ⓘ
- ☒ [FELASA](#) ⓘ
- ☒ [FESSACAL](#) ⓘ
- ☒ [Scand-LAS](#) ⓘ
- ☒ [Concordat on Openness](#) ⓘ
- ☒ [ICLAS \(includes South Korea\)](#) ⓘ

Norecopa: PREPARE for better Science



Thanks to Norecoba's sponsors

Standing Committee on Business Affairs, Norwegian Parliament
Norwegian Ministries of Agriculture and Fisheries
Research Council of Norway
Laboratory Animals Ltd.
Architect Finn Rahn's Legacy
Nordic Society Against Painful Experiments (NSMSD)
Norwegian Society for Animal Protection (Dyrebeskyttelsen Norge)
Norwegian Animal Protection Alliance (Dyrevernalliansen)

Novo Nordisk
Royal Society for the Prevention of Cruelty to Animals (RSPCA)
Sanofi
Scottish Accreditation Board (SAB)
Stiansen Foundation
Universities Federation for Animal Welfare (UFAW)
US Department of Agriculture (USDA)



Dyrevernalliansen

